ELSEVIER

European Journal of Pharmacology 301 (1996) 215–216

ejp

# Author index

Aas, P.
In vitro effects of toxogonin, HI-6 and HLö-7 on the release of [$^3$H]acetylcholine from peripheral cholinergic nerves in rat airway smooth muscle (301) 59
Abbott, F.V., see Hong, Y. (301) 41
Ajuebor, M.N., see Cambridge, H. (301) 151
Amenta, F., see Ricci, A. (301) 189

Bench, C.J., see Pike, V.W. (301) R5
Beninger, R.J., see Smith, I.D. (301) 7
Billaud, G., see Héron, C. (301) 195
Bisetti, A., see Ricci, A. (301) 189
Bohus, B., see Korte, S.M. (301) 19
Bonnet, J.-J., see Héron, C. (301) 195
Bordi, F.
Reduced long-term potentiation in the dentate gyrus of $mGlu_1$ receptor-mutant mice in vivo (301) R15
Borrelli, F., see Izzo, A.A. (301) 137
Boulton, R.M., see Reynolds, G.P. (301) R19
Bouman, S.D., see Korte, S.M. (301) 19
Bowen, W.D., see Matsumoto, R.R. (301) 31
Braga, M.F.M., see Henning, R.H. (301) 91
Brain, S.D., see Cambridge, H. (301) 151
Brioni, J.D., Kim, D.J.B. and O'Neill, A.B.
Nicotine cue: lack of effect of the $\alpha 7$ nicotinic receptor antagonist methyllycaconitine (301) 1
Bronzetti, E., see Ricci, A. (301) 189
Brooks, R., see Keddie, J.R. (301) 107
Brotchie, J., see Fox, S. (301) 27
Buwalda, B., see Korte, S.M. (301) 19

Cambridge, H., Ajuebor, M.N. and Brain, S.D.
Investigation of 6-hydroxydopamine-induced plasma extravasation in rat skin (301) 151
Capasso, F., see Izzo, A.A. (301) 137
Casulari, L.A., see Maggi, R. (301) 169
Cliffe, I.A., see Pike, V.W. (301) R5
Cochrane, E.V., see Lahti, R.A. (301) R11
Collis, M.G., see Keddie, J.R. (301) 107
Costentin, J., see Héron, C. (301) 195
Csati, S., see Szilvassy, Z. (301) R17

Dailey, J.W., see Yan, Q.-S. (301) 49
Darlington, C.L., see Hutchinson, M.A. (301) 83
De Costa, B.R., see Matsumoto, R.R. (301) 31
De Kloet, E.R., see Korte, S.M. (301) 19
Diana, M., see Muntoni, A.L. (301) R9
Dijkstra, D., see Lahti, R.A. (301) R11
Dubocovich, M.L., see Molinari, E.J. (301) 159

Fang, H., see Helmeste, D. (301) R1
Felici, L., see Ricci, A. (301) 189
Ferrante, F., see Ricci, A. (301) 189
Fletcher, A., see Pike, V.W. (301) R5
Fox, S. and Brotchie, J.
Normethylclozapine potentiates the action of quinpirole in the 6-hydroxydopamine lesioned rat (301) 27
Fuentes, J.A., see Reche, I. (301) 75
Fukao, M., see Hattori, Y. (301) 99

Gaginella, T.S., see Izzo, A.A. (301) 137
Gessa, G.L., see Muntoni, A.L. (301) R9
Grasby, P.M., see Pike, V.W. (301) R5
Guo, J.-L., see Ohkuma, S. (301) 179

Harvey, A.L., see Henning, R.H. (301) 91
Hasegawa, T., see Ohkuma, S. (301) 179
Hattori, Y., Fukao, M., Houzen, H., Qi, F., Yamada, Y. and Kanno, M.
In vitro assessment for vascular selectivity of a new dihydropyridine derivative, NB-818 (301) 99
Helmeste, D., Tang, S.W., Fang, H. and Li, M.
Brain $\sigma$ receptors labelled by [$^3$H]nemonapride (301) R1
Henning, R.H., Rowan, E.G., Braga, M.F.M., Nelemans, A. and Harvey, A.L.
The prejunctional inhibitory effect of suramin on neuromuscular transmission in vitro (301) 91
Héron, C., Billaud, G., Costentin, J. and Bonnet, J.-J.
Complex ionic control of [$^3$H]GBR 12783 binding to the dopamine neuronal carrier (301) 195
Hong, Y. and Abbott, F.V.
Contribution of peripheral $\alpha_{1A}$-adrenoceptors to pain induced by formalin or by $\alpha$-methyl-5-hydroxytryptamine plus noradrenaline (301) 41
Hosoki, K., see Yoshikawa, T. (301) 143
Houzen, H., see Hattori, Y. (301) 99
Hudson, A.L., see Reynolds, G.P. (301) R19
Hume, S.P., see Pike, V.W. (301) R5
Hutchinson, M.A., Smith, P.F. and Darlington, C.L.
Tolerance to the ataxic effects of diazepam in guinea pig is not associated with a reduced sensitivity of $GABA_A$ receptors in the vestibular nucleus (301) 83

Izzo, A.A., Gaginella, T.S., Mascolo, N., Borrelli, F. and Capasso, F.
$N^G$-Nitro-L-arginine methyl ester reduces senna- and cascara-induced diarrhoea and fluid secretion in the rat (301) 137

Jakab, I., see Szilvassy, Z. (301) R17
Jobe, P.C., see Yan, Q.-S. (301) 49

Kamata, K., Numazawa, T. and Kasuya, Y.
Mechanisms of desensitization of vasodilatation induced by platelet-activating factor in hypertensive rats (301) 121
Kanno, M., see Hattori, Y. (301) 99
Kasuya, Y., see Kamata, K. (301) 121
Katsura, M., see Ohkuma, S. (301) 179
Keddie, J.R., Poucher, S.M., Shaw, G.R., Brooks, R. and Collis, M.G.
In vivo characterisation of ZM 241385, a selective adenosine $A_{2A}$ receptor antagonist (301) 107
Kim, D.J.B., see Brioni, J.D. (301) 1

Kiuchi, N., see Ohashi, H. (301) 129
Klockgether, T., Wüllner, U., Steinbach, J.P., Petersen, V., Turski, L. and Löschmann, P.-A.
Effects of the antiparkinsonian drug budipine on central neurotransmitter systems (301) 67
Kocić, I.
Modulation of the contractility of guinea pig papillary muscle by the activation of ATP-sensitive $K^+$ channels (301) 115
Komori, S., see Ohashi, H. (301) 129
Korte, S.M., De Kloet, E.R., Buwalda, B., Bouman, S.D. and Bohus, B.
Antisense to the glucocorticoid receptor in hippocampal dentate gyrus reduces immobility in forced swim test (301) 19
Kuriyama, K., see Ohkuma, S. (301) 179

Lahti, R.A., Mutin, A., Cochrane, E.V., Tepper, P.G., Dijkstra, D., Wikström, H. and Tamminga, C.A.
Affinities and intrinsic activities of dopamine receptor agonists for the $hD_{2l}$ and $hD_{4.4}$ receptors (301) R11
Lammertsma, A.A., see Pike, V.W. (301) R5
Li, M., see Helmeste, D. (301) R1
Lonovics, J., see Szilvassy, Z. (301) R17
Löschmann, P.-A., see Klockgether, T. (301) 67

Maggi, R., Pimpinelli, F., Casulari, L.A., Piva, F. and Martini, L.
Antiprogestins inhibit the binding of opioids to $\mu$-opioid receptors in nervous membrane preparations (301) 169
Martini, L., see Maggi, R. (301) 169
Mascolo, N., see Izzo, A.A. (301) 137
Matsumoto, R.R., Bowen, W.D., Walker, J.M., Patrick, S.L., Zambon, A.C., Vo, V.N., Truong, D.D., De Costa, B.R. and Rice, K.C.
Dissociation of the motor effects of (+)-pentazocine from binding to $\sigma_1$ sites (301) 31
McCarron, J.A., see Pike, V.W. (301) R5
Molinari, E.J., North, P.C. and Dubocovich, M.L.
2-[$^{125}$I]Iodo-5-methoxycarbonylamino-*N*-acetyltryptamine: a selective radioligand for the characterization of melatonin $ML_2$ binding sites (301) 159
Muntoni, A.L., Diana, M. and Gessa, G.L.
Repeated naltrexone administration accelerates resolution of morphine somatic withdrawal signs in morphine-dependent rats (301) R9
Mutin, A., see Lahti, R.A. (301) R11

Nagy, I., see Szilvassy, Z. (301) R17
Nakata, H., see Nishio, E. (301) 203
Narihara, H., see Ohkuma, S. (301) 179
Nelemans, A., see Henning, R.H. (301) 91
Nishio, E., Tomiyama, K., Nakata, H. and Watanabe, Y.
3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitor impairs cell differentiation in cultured adipogenic cells (3T3-L1) (301) 203
North, P.C., see Molinari, E.J. (301) 159
Numazawa, T., see Kamata, K. (301) 121
Nutt, D.J., see Reynolds, G.P. (301) R19

Ohashi, H., Tanaka, K., Kiuchi, N., Unno, T. and Komori, S.
Modulation of peristalsis by neurotensin in isolated guinea-pig intestinal segments (301) 129
Ohkuma, S., Katsura, M., Guo, J.-L., Narihara, H., Hasegawa, T. and Kuriyama, K.
Role of peroxynitrite in [$^3$H]γ-aminobutyric acid release evoked by nitric oxide and its mechanism (301) 179
O'Neill, A.B., see Brioni, J.D. (301) 1
Osman, S., see Pike, V.W. (301) R5

Patrick, S.L., see Matsumoto, R.R. (301) 31
Pearson, S.J., see Reynolds, G.P. (301) R19
Petersen, V., see Klockgether, T. (301) 67
Pike, V.W., McCarron, J.A., Lammertsma, A.A., Osman, S., Hume, S.P., Sargent, P.A., Bench, C.J., Cliffe, I.A., Fletcher, A. and Grasby, P.M.
Exquisite delineation of $5\text{-}HT_{1A}$ receptors in human brain with PET and [*carbonyl*-$^{11}$C]WAY-100635 (301) R5
Pimpinelli, F., see Maggi, R. (301) 169
Piva, F., see Maggi, R. (301) 169
Poucher, S.M., see Keddie, J.R. (301) 107

Qi, F., see Hattori, Y. (301) 99

Reche, I., Fuentes, J.A. and Ruiz-Gayo, M.
A role for central cannabinoid and opioid systems in peripheral $\Delta^9$-tetrahydrocannabinol-induced analgesia in mice (301) 75
Reith, M.E.A., see Yan, Q.-S. (301) 49
Reynolds, G.P., Boulton, R.M., Pearson, S.J., Hudson, A.L. and Nutt, D.J.
Imidazoline binding sites in Huntington's and Parkinson's disease putamen (301) R19
Ricci, A., Bisetti, A., Bronzetti, E., Felici, L., Ferrante, F., Veglio, F. and Amenta, F.
Pharmacological characterisation of $Ca^{2+}$ channels of the L-type in human peripheral blood lymphocytes (301) 189
Rice, K.C., see Matsumoto, R.R. (301) 31
Rowan, E.G., see Henning, R.H. (301) 91
Ruiz-Gayo, M., see Reche, I. (301) 75

Sargent, P.A., see Pike, V.W. (301) R5
Shaw, G.R., see Keddie, J.R. (301) 107
Sieghart, W., see Zezula, J. (301) 207
Slany, A., see Zezula, J. (301) 207
Smith, I.D., Todd, M.J. and Beninger, R.J.
Glutamate receptor agonist injections into the dorsal striatum cause contralateral turning in the rat: involvement of kainate and AMPA receptors (301) 7
Smith, P.F., see Hutchinson, M.A. (301) 83
Steinbach, J.P., see Klockgether, T. (301) 67
Szilvassy, J., see Szilvassy, Z. (301) R17
Szilvassy, Z., Nagy, I., Szilvassy, J., Jakab, I., Csati, S. and Lonovics, J.
Impaired nitrergic relaxation of the sphincter of Oddi of hyperlipidaemic rabbits (301) R17

Tamminga, C.A., see Lahti, R.A. (301) R11
Tanaka, K., see Ohashi, H. (301) 129
Tang, S.W., see Helmeste, D. (301) R1
Tepper, P.G., see Lahti, R.A. (301) R11
Todd, M.J., see Smith, I.D. (301) 7
Tomiyama, K., see Nishio, E. (301) 203
Truong, D.D., see Matsumoto, R.R. (301) 31
Turski, L., see Klockgether, T. (301) 67

Unno, T., see Ohashi, H. (301) 129

Veglio, F., see Ricci, A. (301) 189
Vo, V.N., see Matsumoto, R.R. (301) 31

Walker, J.M., see Matsumoto, R.R. (301) 31
Watanabe, Y., see Nishio, E. (301) 203
Wikström, H., see Lahti, R.A. (301) R11
Wüllner, U., see Klockgether, T. (301) 67

Yamada, Y., see Hattori, Y. (301) 99
Yan, Q.-S., Reith, M.E.A., Jobe, P.C. and Dailey, J.W.
Focal ethanol elevates extracellular dopamine and serotonin concentrations in the rat ventral tegmental area (301) 49
Yoshida, N., see Yoshikawa, T. (301) 143
Yoshikawa, T., Yoshida, N. and Hosoki, K.
Involvement of dopamine $D_3$ receptors in the area postrema in *R*(+)-7-OH-DPAT-induced emesis in the ferret (301) 143

Zambon, A.C., see Matsumoto, R.R. (301) 31
Zezula, J., Slany, A. and Sieghart, W.
Interaction of allosteric ligands with $GABA_A$ receptors containing one, two, or three different subunits (301) 207